

BIRKENSTOCK®
PROFESSIONAL



**THE
COLLECTION**

BIRKENSTOCK, INVENTOR OF THE FOOTBED

TRENDS COME AND GO THE REALLY GOOD THINGS LAST FOREVER



QUALITY
MADE IN GERMANY
SINCE 1774.

Since 1774 we at BIRKENSTOCK, the inventor of the footbed, have been thinking about how we can make the lives of our customers more pleasant and enrich them - with good footwear for all life situations.

To this end, we manufacture our sandals in Germany under the best conditions for our brand in our own production facilities with a high proportion of manual work. Depending on the model, a sandal goes through up to 17 work steps. With the closed models, there are more than 100 expertly executed steps to reach the finished product. The closed shoes are manufactured in Portuguese manufactories according to the principles of centuries-old traditional craftsmanship.

But no matter whether it's manufacture or industrial production - all BIRKENSTOCK products meet the highest quality standards that can be found in the global shoe industry. We make no compromises either in terms of the materials used - cork, natural latex, copper, brass, wool felt and the best leather - or workmanship. The raw materials come from sustainable sources. As long as the natural conditions allow, we obtain them from Europe.



The BIRKENSTOCK Footbed 06



Safety Footwear 22



Occupational Footwear 32



PU Clogs 40



Super-Grip Outsole 50



ESD Products 60



Soft Footbed 70



Replacement Footbeds 76

INDEX



The BIRKENSTOCK Footbed	06
Safety Footwear	22
Occupational Footwear	32
PU Clogs	40
Super-Grip Outsole	50

ESD Products	60
Soft Footbed	70
Replacement Footbeds	76
Collection Overview	78



OUR FOOTBED

IS THE BASIS OF ALL BIRKENSTOCK PROFESSIONAL PRODUCTS

The core of our products is our unique, anatomically shaped footbed. BIRKENSTOCK invented the footbed and also established the meaning of the word „footbed“ as it is commonly known today. At the end of the 19th century, Konrad Birkenstock had a visionary idea: the production of a footbed insole from a flexible cork-latex mixture - an alternative to the rigid inlays that previously had mainly been made out of metal. The footbed is not only a unique, revolutionary product concept that has paved the way for a completely new market. It is also the guiding principle and reference point for everything we do. Today and in the future.

1 FOOTBED EDGE

Protects the toes against external influences

2 TOE GRIP

Supports the natural toe roll-off in motion

3 TRANSVERSE ARCH SUPPORT

Stabilizes the metatarsal bone and ensures that the foot has a naturally straight and solid stance

4 MEDIAL LONGITUDINAL ARCH SUPPORT

Underpins the inner longitudinal arch of the foot and acts against lowering of the inner foot edge

5 LATERAL LONGITUDINAL ARCH SUPPORT

Supports the outer longitudinal arch and improves the positioning of the midfoot and rear foot on the footbed

6 DEEP HEEL CUP

Embeds the heel and keeps it firmly in its natural position



THE EUROPEAN ISO- NORMS

At the end of the 1990s, uniform standards for safety, protective and occupational footwear were established at European level, which is still valid today as standard in relevant areas. TÜV Rheinland tests our BIRKENSTOCK Professional models on the basis of the following standards:

- **EN ISO 20344** – requirements and test methods
- **EN ISO 20345** – safety footwear specification
- **EN ISO 20347** – specification occupational footwear

All shoes which, for example, have anti-slip, antistatic or comparable properties and which as a rule do not have a separate toe protection are referred to as professional shoes. Models with toe protection are classified in the categories protective shoes (with plastic toe cap, test energy up to 100 joules) and safety shoes (with steel toe cap, testing energy up to 200 joules). Our soles are tested by TÜV Rheinland and have to guarantee one of the following criteria:

- **SRA** – slip-resistance on ceramic tiles with cleaning agent
- **SRB** – slip-resistance on steel floor with glycerin
- **SRC** – resistance slip on ceramic tiles with detergent and on steel floors with glycerine



PROTECTION CLASS

S3

THE QS400, QS500, QS500 ESD AND QS700

Those who have special demands on their work equipment will no longer have to make any compromises in this respect in the future: BIRKENSTOCK presents its range of closed safety shoes.

All safety shoes meet the requirements of protection class S3

- Certified according to EN ISO 20345:2011
- Steel toe cap (200 joules)
- Scratch-resistant cap protection
- Penetration-resistant outsole (metal-free) **(P)**
- ESD or antistatic protection **(A)**
- Oil- and gasoline-resistant outsole **(FO)**
- Energy absorption in the heel area **(E)**
- Water-repellent outer material, at least 80 minutes without water penetration **(WRU)**
- Slip-resistant outsole **(SRC)**

With the replaceable BIRKENSTOCK footbed, the models provide secure support and relieve the strain on your feet, so that you can stand, walk and run comfortably for many hours a day, even in a challenging environment.



PROTECTION CLASS

02

THE Q0400, Q0500, Q0500 ESD AND Q0700

BIRKENSTOCK Professional footwear product line bridges the gap between a pleasant wearing comfort and increased protection requirements.

All professional shoes meet the requirements of protection class 02

- Certified according to EN ISO 20347:2012
- ESD or antistatic protection **(A)**
- Oil- and gasoline-resistant outsole **(FO)**
- Energy absorption in the heel area **(E)**
- Water-repellent outer material, at least 80 minutes without water penetration **(WRU)**
- Slip-resistant outsole **(SRC)**

With the replaceable BIRKENSTOCK footbed, the models provide secure support and relieve the strain on your feet so that you can stand, walk and run comfortably for many hours a day, even in challenging environments.



PROTECTION CLASS

SB & OB

THE A630, A640, SUPER-BIRKI AND PROFI-BIRKI

Whether in the kitchen, food industry, medicine or garden:
with the practical clogs from BIRKENSTOCK, work is always easier. Each of our PU clog models is
available in a variety of different colors. They are made entirely of polyurethane and feature the
replaceable anatomically shaped BIRKENSTOCK footbed. In addition, model A640 is equipped with a
steel toe cap.

- Certified according to EN ISO 20345:2011 (clog A640)
- Certified according to EN ISO 20347:2012
- Water-repellent
- Oil and grease resistant
- Anti-slip outsole
- PU clogs washable at 80°C
- Cork footbeds washable at 30°C
- PU footbeds washable at 60°C
- Easy-care and abrasion-resistant
- Footbed reorderable



CRITERIA

SLIP RE-SISTANCE

ESPECIALLY SAFE AND COMFORTABLE

In your profession, you have to be able to rely on your equipment one hundred percent. Just like on the shoes from BIRKENSTOCK with the Super-Grip Outsole.

The models are particularly suitable for daily use in practices, hospitals, kitchens, restaurants and leisure centres. The slip-resistant super outsole consists of two components: a shock-absorbing midsole made of EVA plastic and a slip-resistant, oil- and grease-resistant rubber outsole. For those who like extra comfort and safety.



CRITERIA

ESD

SAFE PROTECTION IN ESD AREAS WITH BIRKENSTOCK COMFORT

Working with sensitive high-frequency technology and electrical components in particular requires pronounced protective measures. In combination with the professional ESD equipment of the workplace, the ESD models effectively protect against dangerous electrostatic discharges.

The damping bedding core in our ESD soft footbed, which is found in the Bilbao ESD and Kano ESD models, offers much more than a regular soft bedding. In the ESD models, an integrated antistatic agent provides optimum protection against electrostatic discharges.

All ESD articles have been tested by TÜV Rheinland according to the specifications of EN ISO 61340. They meet the requirements in the professional ESD range from 10^5 to 3.4×10^7 ohm (contact resistance).



BIG PLUS

MAXIMUM PERFORMANCE THROUGH MAXIMUM COMFORT

Our comfortable and reliable footbeds with the corresponding characteristics of your professional or safety shoe are available as a replacement version so that you can give your best in everyday working life.

**SAFETY
FOOTWEAR**

Energy absorption
around heel (E)

Water-repellent outer material, at least 80 minutes without
water penetration (WRU)

Penetration-resistant (non-metallic) (P)
and slip-resistant outsole (SRC)

Oil- and gasoline-resistant
outsole (FO)

Steel toe cap (200 joules) with
scratch resistant material



QS400

1 011 227 · 35 – 48

COLOR	white
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

S3 

NORM	EN ISO 20345:2011
CLASS	S3
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8; page 77
FEATURES	A, FO, E, P, WRU, steel toe cap



QS400

1 011 229 · 35 – 48

COLOR	white
UPPER	microfibre
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

S3 

NORM	EN ISO 20345:2011
CLASS	S3
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8; page 77
FEATURES	A, FO, E, P, WRU, steel toe cap



QS400

1 011 226 · 35 – 48

COLOR	black
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

S3 

NORM	EN ISO 20345:2011
CLASS	S3
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8; page 77
FEATURES	A, FO, E, P, WRU, steel toe cap



QS400

1 011 228 · 35 – 48

COLOR	black
UPPER	microfibre
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

S3 

NORM	EN ISO 20345:2011
CLASS	S3
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8; page 77
FEATURES	A, FO, E, P, WRU, steel toe cap



QS500

1 011 231 · 35 – 48

COLOR	white	NORM	EN ISO 20345:2011
UPPER	leather	CLASS	S3
LINING	microfibre	ANTISTATIC	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, P, WRU, steel toe cap



QS500

1 011 234 · 35 – 48

COLOR	white	NORM	EN ISO 20345:2011
UPPER	microfibre	CLASS	S3
LINING	microfibre	ANTISTATIC	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, P, WRU, steel toe cap



QS500

1 011 230 · 35 – 48

COLOR	black	NORM	EN ISO 20345:2011
UPPER	leather	CLASS	S3
LINING	microfibre	ANTISTATIC	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, P, WRU, steel toe cap



QS500

1 011 233 · 35 – 48

COLOR	black	NORM	EN ISO 20345:2011
UPPER	microfibre	CLASS	S3
LINING	microfibre	ANTISTATIC	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, P, WRU, steel toe cap





QS500 ESD

€ 1 011 364 · 35 – 48

COLOR	white	NORM	EN ISO 20345:2011
UPPER	leather	CLASS	S3
LINING	microfibre	ESD	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, P, WRU, steel toe cap

FURTHER ESD PRODUCTS SHOWN FROM PAGE 60



QS500 ESD

€ 1 011 363 · 35 – 48

COLOR	black	NORM	EN ISO 20345:2011
UPPER	leather	CLASS	S3
LINING	microfibre	ESD	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, P, WRU, steel toe cap



QS500

€ 1 011 232 · 35 – 48

COLOR	brown	NORM	EN ISO 20345:2011
UPPER	oiled nubuck leather	CLASS	S3
LINING	microfibre	ANTISTATIC	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, P, WRU, steel toe cap



QS700

€ 1 011 237 · 35 – 48

COLOR	brown	NORM	EN ISO 20345:2011
UPPER	oiled nubuck leather	CLASS	S3
LINING	microfibre	ANTISTATIC	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, P, WRU, steel toe cap



QS700

€ 1 011 236 · 35 – 48

COLOR	white	NORM	EN ISO 20345:2011
UPPER	leather	CLASS	S3
LINING	microfibre	ANTISTATIC	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, P, WRU, steel toe cap



QS700

€ 1 011 239 · 35 – 48

COLOR	white	NORM	EN ISO 20345:2011
UPPER	microfibre	CLASS	S3
LINING	microfibre	ANTISTATIC	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, P, WRU, steel toe cap



QS700

€ 1 011 235 · 35 – 48

COLOR	black	NORM	EN ISO 20345:2011
UPPER	leather	CLASS	S3
LINING	microfibre	ANTISTATIC	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, P, WRU, steel toe cap



QS700

€ 1 011 238 · 35 – 48

COLOR	black	NORM	EN ISO 20345:2011
UPPER	microfibre	CLASS	S3
LINING	microfibre	ANTISTATIC	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, P, WRU, steel toe cap



BIRKENSTOCK®
PROFESSIONAL



Energy absorption
around heel (E)

Water-repellent outer material,
at least 80 minutes without water
penetration (WRU)

Slip resistant outsole (SRC)

Oil- and gasoline-resistant
outsole (FO)

**OCCUPATIONAL
FOOTWEAR**



Q0400

1 011 241 · 35 – 48

COLOR	white	NORM	EN ISO 20347:2012
UPPER	leather	CLASS	02
LINING	microfibre	ANTISTATIC	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, WRU



Q0400

1 011 243 · 35 – 48

COLOR	white	NORM	EN ISO 20347:2012
UPPER	microfibre	CLASS	02
LINING	microfibre	ANTISTATIC	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, WRU



Q0400

1 011 240 · 35 – 48

COLOR	black	NORM	EN ISO 20347:2012
UPPER	leather	CLASS	02
LINING	microfibre	ANTISTATIC	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, WRU



Q0400

1 011 242 · 35 – 48

COLOR	black	NORM	EN ISO 20347:2012
UPPER	microfibre	CLASS	02
LINING	microfibre	ANTISTATIC	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, WRU





Q0500

1 011 245 · 35 – 48

02

COLOR	white	NORM	EN ISO 20347:2012
UPPER	leather	CLASS	02
LINING	microfibre	ANTISTATIC	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, WRU



Q0500

1 011 248 · 35 – 48

02

COLOR	white	NORM	EN ISO 20347:2012
UPPER	microfibre	CLASS	02
LINING	microfibre	ANTISTATIC	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, WRU



Q0500 ESD

1 011 366 · 35 – 48

02



COLOR	white	NORM	EN ISO 20347:2012
UPPER	leather	CLASS	02
LINING	microfibre	ESD	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, WRU



Q0500

1 011 244 · 35 – 48

02

COLOR	black	NORM	EN ISO 20347:2012
UPPER	leather	CLASS	02
LINING	microfibre	ANTISTATIC	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, WRU



Q0500

1 011 247 · 35 – 48

02

COLOR	black	NORM	EN ISO 20347:2012
UPPER	microfibre	CLASS	02
LINING	microfibre	ANTISTATIC	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, WRU



Q0500 ESD

1 011 365 · 35 – 48

02



COLOR	black	NORM	EN ISO 20347:2012
UPPER	leather	CLASS	02
LINING	microfibre	ESD	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, WRU

WHAT IS ESD?

ESD stands for Electro Static Discharge. These shoe models actively ensure a permanent gentle discharge of their wearer (warning note: The ESD range is up to 35 MOhm, so it is not insulating!). - a quality feature that is clearly visible from the outside on BIRKENSTOCK Professional shoes through the circular, yellow ESD emblem with the hand in the black triangle.

MORE ESD PRODUCTS CAN BE FOUND ON PAGE 60



Q0700

€ 1 011 250 · 35 – 48

COLOR	white
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

02

NORM	EN ISO 20347:2012
CLASS	02
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8; page 77
FEATURES	A, FO, E, WRU



Q0700

€ 1 011 253 · 35 – 48

COLOR	white
UPPER	microfibre
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

02

NORM	EN ISO 20347:2012
CLASS	02
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8; page 77
FEATURES	A, FO, E, WRU



Q0700

€ 1 011 249 · 35 – 48

COLOR	black
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

02

NORM	EN ISO 20347:2012
CLASS	02
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8; page 77
FEATURES	A, FO, E, WRU



Q0700

€ 1 011 252 · 35 – 48

COLOR	black
UPPER	microfibre
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

02

NORM	EN ISO 20347:2012
CLASS	02
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8; page 77
FEATURES	A, FO, E, WRU

PU CLOGS



Outsole resistant to oil and grease (FO)

Anatomically designed, replacement footbed (can be ordered separately)

Integrated steel toe cap (only in model A640)



A640

☎ 020 292 · 36 – 47



COLOR	white	NORM	EN ISO 20345:2011
UPPER	polyurethane	CLASS	SB
LINING	polyurethane	ANTISTATIC	-
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	1 201 686; page 77
OUTSOLE	polyurethane, SRC	FEATURES	E, steel toe cap



A640

☎ 020 252 · 36 – 47



COLOR	blue	NORM	EN ISO 20345:2011
UPPER	polyurethane	CLASS	SB
LINING	polyurethane	ANTISTATIC	-
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	1 201 686; page 77
OUTSOLE	polyurethane, SRC	FEATURES	E, steel toe cap



A630

☎ 010 292 · 36 – 47



COLOR	white	NORM	EN ISO 20347:2012
UPPER	polyurethane	CLASS	OB
LINING	polyurethane	ANTISTATIC	-
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	1 201 686; page 77
OUTSOLE	polyurethane, SRC	FEATURES	E



A630

☎ 010 252 · 36 – 47



COLOR	blue	NORM	EN ISO 20347:2012
UPPER	polyurethane	CLASS	OB
LINING	polyurethane	ANTISTATIC	-
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	1 201 686; page 77
OUTSOLE	polyurethane, SRC	FEATURES	E



A640

☎ 020 272 · 35 – 47



COLOR	black	NORM	EN ISO 20345:2011
UPPER	polyurethane	CLASS	SB
LINING	polyurethane	ANTISTATIC	-
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	1 201 686; page 77
OUTSOLE	polyurethane, SRC	FEATURES	E, steel toe cap



A630

☎ 010 272 · 36 – 47



COLOR	black	NORM	EN ISO 20347:2012
UPPER	polyurethane	CLASS	OB
LINING	polyurethane	ANTISTATIC	-
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	1 201 686; page 77
OUTSOLE	polyurethane, SRC	FEATURES	E



Profi Birki

074 071 · 35 – 48

COLOR	blue	NORM	EN ISO 20347:2012
UPPER	polyurethane	CLASS	OB
LINING	polyurethane	ANTISTATIC	-
FOOTBED	PU / textile	REPLACEMENT FOOTBED	3 201 047; page 77
OUTSOLE	polyurethane, SRB	FEATURES	E



Profi Birki

074 061 · 35 – 48

COLOR	brown	NORM	EN ISO 20347:2012
UPPER	polyurethane	CLASS	OB
LINING	polyurethane	ANTISTATIC	-
FOOTBED	PU / textile	REPLACEMENT FOOTBED	3 201 047; page 77
OUTSOLE	polyurethane, SRB	FEATURES	E



Profi Birki

074 011 · 35 – 48

COLOR	black	NORM	EN ISO 20347:2012
UPPER	polyurethane	CLASS	OB
LINING	polyurethane	ANTISTATIC	-
FOOTBED	PU / textile	REPLACEMENT FOOTBED	3 201 047; page 77
OUTSOLE	polyurethane, SRB	FEATURES	E



Super Birki

068 011 · 35 – 48

OB

COLOR	black	NORM	EN ISO 20347:2012
UPPER	polyurethane	CLASS	OB
LINING	polyurethane	ANTISTATIC	-
FOOTBED	cork / textile	REPLACEMENT FOOTBED	1 201 127; page 77
OUTSOLE	polyurethane, SRC	FEATURES	E



Super Birki

068 061 · 35 – 48

OB

COLOR	brown	NORM	EN ISO 20347:2012
UPPER	polyurethane	CLASS	OB
LINING	polyurethane	ANTISTATIC	-
FOOTBED	cork / textile	REPLACEMENT FOOTBED	1 201 127; page 77
OUTSOLE	polyurethane, SRC	FEATURES	E



Super Birki

068 081 · 35 – 48

OB

COLOR	apple green	NORM	EN ISO 20347:2012
UPPER	polyurethane	CLASS	OB
LINING	polyurethane	ANTISTATIC	-
FOOTBED	cork / textile	REPLACEMENT FOOTBED	1 201 127; page 77
OUTSOLE	polyurethane, SRC	FEATURES	E



Super Birki

068 051 · 35 – 48

OB

COLOR	green	NORM	EN ISO 20347:2012
UPPER	polyurethane	CLASS	OB
LINING	polyurethane	ANTISTATIC	-
FOOTBED	cork / textile	REPLACEMENT FOOTBED	1 201 127; page 77
OUTSOLE	polyurethane, SRC	FEATURES	E



Super Birki

068 021 · 35 – 48

OB

COLOR	white	NORM	EN ISO 20347:2012
UPPER	polyurethane	CLASS	OB
LINING	polyurethane	ANTISTATIC	-
FOOTBED	cork / textile	REPLACEMENT FOOTBED	1 201 127; page 77
OUTSOLE	polyurethane, SRC	FEATURES	E



Super Birki

068 071 · 35 – 48

OB

COLOR	blue	NORM	EN ISO 20347:2012
UPPER	polyurethane	CLASS	OB
LINING	polyurethane	ANTISTATIC	-
FOOTBED	cork / textile	REPLACEMENT FOOTBED	1 201 127; page 77
OUTSOLE	polyurethane, SRC	FEATURES	E



Super Birki

☎ 068 651 · 35 – 43



COLOR	raspberry sorbet	NORM	EN ISO 20347:2012
UPPER	polyurethane	CLASS	OB
LINING	polyurethane	ANTISTATIC	-
FOOTBED	cork / textile	REPLACEMENT FOOTBED	1 201 127; page 77
OUTSOLE	polyurethane, SRC	FEATURES	E



Super Birki

☎ 068 031 · 35 – 48



COLOR	red	NORM	EN ISO 20347:2012
UPPER	polyurethane	CLASS	OB
LINING	polyurethane	ANTISTATIC	-
FOOTBED	cork / textile	REPLACEMENT FOOTBED	1 201 127; page 77
OUTSOLE	polyurethane, SRC	FEATURES	E



Super Birki

☎ 068 501 · 35 – 43



COLOR	ciel light blue	NORM	EN ISO 20347:2012
UPPER	polyurethane	CLASS	OB
LINING	polyurethane	ANTISTATIC	-
FOOTBED	cork / textile	REPLACEMENT FOOTBED	1 201 127; page 77
OUTSOLE	polyurethane, SRC	FEATURES	E



Super Birki

☎ 068 041 · 35 – 48



COLOR	yellow	NORM	EN ISO 20347:2012
UPPER	polyurethane	CLASS	OB
LINING	polyurethane	ANTISTATIC	-
FOOTBED	cork / textile	REPLACEMENT FOOTBED	1 201 127; page 77
OUTSOLE	polyurethane, SRC	FEATURES	E



Birki Air antistatic

☎ 063 070 · 35 – 46



COLOR	blue	NORM	-
UPPER	polyurethane	CLASS	-
LINING	polyurethane	ANTISTATIC	yes
FOOTBED	PU / textile	REPLACEMENT FOOTBED	1 001 242; page 77
OUTSOLE	polyurethane	FEATURES	-



Birki Air antistatic

☎ 063 050 · 35 – 46



COLOR	green	NORM	-
UPPER	polyurethane	CLASS	-
LINING	polyurethane	ANTISTATIC	yes
FOOTBED	PU / textile	REPLACEMENT FOOTBED	1 001 242; page 77
OUTSOLE	polyurethane	FEATURES	-



Classic Birki antistatic

☎ 067 070 · 35 – 46



COLOR	blue	NORM	-
UPPER	polyurethane	CLASS	-
LINING	polyurethane	ANTISTATIC	yes
FOOTBED	polyurethane	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	-



Classic Birki antistatic

☎ 067 050 · 35 – 46



COLOR	green	NORM	-
UPPER	polyurethane	CLASS	-
LINING	polyurethane	ANTISTATIC	yes
FOOTBED	polyurethane	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	-

BIRKENSTOCK®
PROFESSIONAL



Oil- & grease-resistant outsole (FO)

Stepped cushioning
EVA midsole

Slip-resistant outsole (SRA)

**SUPER-GRIP
OUTSOLE**



Arizona SL

€ 101 8220 · 35 – 48

€ 101 8221 · 35 – 48

COLOR	white	NORM	-
UPPER	Birko Flor	CLASS	SRA
LINING	fleece	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-



Arizona SL

€ 101 8222 · 35 – 48

€ 101 8223 · 35 – 48

COLOR	black	NORM	-
UPPER	Birko Flor	CLASS	SRA
LINING	fleece	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-



Arizona SL

€ 230 124 · 35 – 48

€ 230 126 · 35 – 48

COLOR	white	NORM	-
UPPER	Birko Flor	CLASS	SRA
LINING	fleece	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-



Arizona SL

€ 230 114 · 35 – 48

€ 230 116 · 35 – 48

COLOR	black	NORM	-
UPPER	Birko Flor	CLASS	SRA
LINING	fleece	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-



Kay SL

€ 101 8228 · 39 – 46
€ 101 8229 · 35 – 42

COLOR	white	NORM	-
UPPER	leather	CLASS	SRA
LINING	leather	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	softfootbed, adjustable heel strap



Kay SL

€ 101 8226 · 39 – 46
€ 101 8227 · 35 – 42

COLOR	black	NORM	-
UPPER	leather	CLASS	SRA
LINING	leather	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	softfootbed, adjustable heel strap



Kay SL

€ 582 516 · 35 – 42

COLOR	Cat Red	NORM	-
UPPER	Birko Flor	CLASS	SRA
LINING	fleece	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	adjustable heel strap



Kay SL

€ 582 536 · 35 – 42

COLOR	Dog Blue	NORM	-
UPPER	Birko Flor	CLASS	SRA
LINING	fleece	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	adjustable heel strap



Kay SL

€ 582 624 · 39 – 46
€ 582 626 · 35 – 42

COLOR	white	NORM	-
UPPER	leather	CLASS	SRA
LINING	leather	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	softfootbed, adjustable heel strap



Kay SL

€ 582 634 · 39 – 46
€ 582 636 · 35 – 42

COLOR	black	NORM	-
UPPER	leather	CLASS	SRA
LINING	leather	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	softfootbed, adjustable heel strap





Kay Flowers

€ 101 6660 · 35 – 43

COLOR	Flower Field Mint	NORM	-
UPPER	Birko Flor	CLASS	SRA
LINING	fleece	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	adjustable heel strap



Kay Flowers

€ 101 6661 · 35 – 43

COLOR	Flower Field Rose	NORM	-
UPPER	Birko Flor	CLASS	SRA
LINING	fleece	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	adjustable heel strap



Kay Flowers

€ 101 6664 · 35 – 43

COLOR	Paisley Black White	NORM	-
UPPER	Birko Flor	CLASS	SRA
LINING	fleece	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	adjustable heel strap



Kay Flowers

€ 101 6662 · 35 – 43

COLOR	Blooming Roses Black	NORM	-
UPPER	Birko Flor	CLASS	SRA
LINING	fleece	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	adjustable heel strap



Kay Flowers

€ 101 6663 · 35 – 43

COLOR	Blooming Roses Blue	NORM	-
UPPER	Birko Flor	CLASS	SRA
LINING	fleece	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	adjustable heel strap





Boston SL

€ 060 134 · 35 – 48
€ 060 136 · 35 – 48

COLOR	white	NORM	-
UPPER	leather	CLASS	SRA
LINING	leather	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-



Boston SL

€ 060 194 · 35 – 48
€ 060 196 · 35 – 48

COLOR	black	NORM	-
UPPER	leather	CLASS	SRA
LINING	leather	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-



Tokio SL

€ 061 194 · 35 – 48
€ 061 196 · 35 – 48

COLOR	black	NORM	-
UPPER	leather	CLASS	SRA
LINING	leather	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-



Tokio SL

€ 061 134 · 35 – 48
€ 061 136 · 35 – 48

COLOR	white	NORM	-
UPPER	leather	CLASS	SRA
LINING	leather	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-



Tokio SL

€ 061 154 · 35 – 48
€ 061 156 · 35 – 48

COLOR	blue	NORM	-
UPPER	leather	CLASS	SRA
LINING	leather	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-



Linz SL

€ 583 174 · 36 – 46
€ 583 176 · 36 – 42

COLOR	white	NORM	-
UPPER	leather	CLASS	SRA
LINING	leather	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-



Linz SL

€ 583 184 · 36 – 46
€ 583 186 · 36 – 42

COLOR	black	NORM	-
UPPER	leather	CLASS	SRA
LINING	leather	SLIP-RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-

Heel strap to
secure the foot

Integrated antistatic feature to
prevent electrostatic discharges

ESD symbol

Elevated footbed edge

**ESD
PRODUCTS**



Arizona ESD

089 430 · 35 – 48
089 438 · 35 – 48



COLOR	blue	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Arizona ESD

089 410 · 35 – 48
089 418 · 35 – 48



COLOR	white	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Arizona ESD

089 420 · 35 – 48
089 428 · 35 – 48



COLOR	black	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Milano ESD

634 880 · 35 – 48
634 888 · 35 – 48



COLOR	white	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Milano ESD

634 790 · 35 – 48
634 798 · 35 – 48



COLOR	black	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Boston ESD

€ 061 370 · 39 – 48
€ 061 378 · 36 – 42



COLOR	white	NORM	-
UPPER	leather	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Boston ESD

€ 061 380 · 39 – 48
€ 061 388 · 36 – 42



COLOR	blue	NORM	-
UPPER	leather	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Boston ESD

€ 061 360 · 39 – 48
€ 061 368 · 36 – 42



COLOR	black	NORM	-
UPPER	leather	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Tokio ESD

€ 061 410 · 39 – 48
€ 061 418 · 36 – 42



COLOR	white	NORM	-
UPPER	leather	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-





Tokio ESD

€ 061 390 · 39 – 48
€ 061 398 · 36 – 42



COLOR	blue	NORM	-
UPPER	leather	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Tokio ESD

€ 061 400 · 39 – 48
€ 061 408 · 36 – 42



COLOR	black	NORM	-
UPPER	leather	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Kano ESD

€ 500 580 · 39 – 46
€ 500 588 · 36 – 42



COLOR	black	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ESD	yes
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	Softfootbed



Linz ESD

€ 583 150 · 39 – 46
€ 583 158 · 36 – 42



COLOR	white	NORM	-
UPPER	leather	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Linz ESD

€ 583 160 · 39 – 46
€ 583 168 · 36 – 42



COLOR	black	NORM	-
UPPER	leather	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Bilbao ESD

€ 520 840 · 39 – 46
€ 520 848 · 36 – 42



COLOR	black	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ESD	yes
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	Softfootbed


PROVEN AS A PARTNER IN ELECTRONICALLY SENSITIVE FIELDS OF WORK

For people who work in the microelectronic field or with high-frequency technology, in addition to absolute cleanliness at the workplace, it is above all the protection of the product and working material against electrostatic influences that counts. This applies in particular to semiconductor technology, the automotive industry, physical research laboratories and electro-medicine. This is why experienced technicians and engineers rely on ESD sandals and clogs from BIRKENSTOCK Professional.

ESD stands for Electro Static Discharge. These shoe models actively ensure a permanent gentle

discharge of their wearer (warning note: The ESD range is up to 35 megohm, so it does not have an insulating effect!). - a quality feature that is clearly visible from the outside on BIRKENSTOCK Professional shoes through the circular, yellow ESD emblem with the hand in the black triangle.

When looking at the insole, several round antistatic elements stand out. They are not noticeable when sandals and clogs are worn, but they compensate for potential electrical voltage differences between people and the working environment by permanently "grounding" the feet.



QS500 ESD

1 011 364 · 35 – 48

COLOR	white	NORM	EN ISO 20345:2011
UPPER	leather	CLASS	S3
LINING	microfibre	ESD	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, P, WRU, steel toe cap



QS500 ESD

1 011 363 · 35 – 48

COLOR	black	NORM	EN ISO 20345:2011
UPPER	leather	CLASS	S3
LINING	microfibre	ESD	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, P, WRU, steel toe cap



Q0500 ESD

1 011 366 · 35 – 48

COLOR	white	NORM	EN ISO 20347:2012
UPPER	leather	CLASS	02
LINING	microfibre	ESD	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, WRU



Q0500 ESD

1 011 365 · 35 – 48

COLOR	black	NORM	EN ISO 20347:2012
UPPER	leather	CLASS	02
LINING	microfibre	ESD	yes
FOOTBED	cork / microfibre	REPLACEMENT FOOTBED	1 013 177 / 8; page 77
OUTSOLE	nitrile rubber SRC	FEATURES	A, FO, E, WRU

BIRKENSTOCK®
PROFESSIONAL

**SOFT
FOOTBED**



Elevated footbed edge

Permanently
elastic latex core

Oil- and grease-resistant
PU outsole



Sofia

€ 263 133 · 36 – 42

COLOR	white	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	Softfootbed



Sofia

€ 263 143 · 36 – 42

COLOR	brown	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	Softfootbed



Sofia

€ 263 183 · 36 – 42

COLOR	black	NORM	-
UPPER	Birko Flor Patent	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	Softfootbed



Sofia

€ 263 123 · 36 – 42

COLOR	black	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	Softfootbed



Sofia

€ 263 263 · 36 – 42

COLOR	Tango Red	NORM	-
UPPER	Birko Flor Patent	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	Softfootbed



Saragossa

€ 500 873 · 36 – 42

COLOR	white	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	Softfootbed



Saragossa

€ 500 863 · 36 – 42

COLOR	black	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	Softfootbed



Bilbao

€ 520 781 · 39 – 46
€ 520 783 · 36 – 42

COLOR	white	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	Softfootbed



Bilbao

€ 520 801 · 39 – 46
€ 520 803 · 36 – 42

COLOR	brown	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	Softfootbed



Kano

€ 500 761 · 39 – 46
€ 500 763 · 36 – 42

COLOR	white	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	Softfootbed



Bilbao

€ 520 811 · 39 – 46
€ 520 813 · 36 – 42

COLOR	blue	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	Softfootbed



Bilbao

€ 520 791 · 39 – 46
€ 520 793 · 36 – 42

COLOR	black	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	Softfootbed



Kano

€ 500 801 · 39 – 46
€ 500 803 · 36 – 42

COLOR	brown	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	Softfootbed



Kano

€ 500 781 · 39 – 46
€ 500 783 · 36 – 42

COLOR	black	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	Softfootbed



REPLACEMENT
FOOTBEDS



A630 / A640

1 201 686 · 36 – 47

LINING	suede	NORM	-
FOOTBED	cork	ANTISTATIC	-



Profi Birki

3 201 047 · 35 – 48

LINING	textile	NORM	-
FOOTBED	polyurethane	ANTISTATIC	-



Super Birki

1 201 127 · 35 – 48

LINING	textile	NORM	-
FOOTBED	cork	ANTISTATIC	-



Birki Air Antistatic

1 001 242 · 35 – 46

LINING	textile	NORM	-
FOOTBED	polyurethane	ANTISTATIC	yes



QS/QO

1 013 177 · 35 – 40 1 013 178 · 41 – 48

LINING	microfibre	NORM	-
FOOTBED	cork	ESD	yes

CHECKLIST

Quick overview of the advantages offered by BIRKENSTOCK PROFESSIONAL footwear

	Super Birki	Profi Birki	A 630	A 640	Super-Grip Sole	Birki Air Antistatic	Classic Birki Antistatic	QS400 – QS700	Q0400 – Q0700
With steel toe cap	–	–	–	•	–	–	–	•	–
TÜV-certified	•	•	•	•	–	–	–	•	•
TÜV-tested	•	•	•	•	•	•	•	•	•
Slip-resistant	•	•	•	•	•	–	–	•	•
Alkali-resistant	•	•	•	•	–	•	•	•	•
Resistant to oil and grease	•	•	•	•	•	•	•	•	•
Washable at	80°C*	80°C*	80°C	80°C	–	80°C	80°C	–	–
Replacement footbed	•	•	•	•	–	•	–	•	•
Footbed washable at	30°C	60°C	30°C	30°C	–	60°C	–	30°C	30°C

COLLECTION OVERVIEW

NAME	COLOR	ARTICLE NUMBER	SIZE	FIT	REPLACEMENT FOOTBED FOR ARTICLE	PAGE
A 630	BLUE	10252	36-47	REGULAR	1201686	43
A 630	WHITE	10292	36-47	REGULAR	1201686	43
A 630	BLACK	10272	36-47	REGULAR	1201686	43
A 640	BLUE	20252	36-47	REGULAR	1201686	42
A 640	WHITE	20292	36-47	REGULAR	1201686	42
A 640	BLACK	20272	36-47	REGULAR	1201686	42
ARIZONA ESD	WHITE	89410	35-48	REGULAR	-	63
ARIZONA ESD	WHITE	89418	35-48	NARROW	-	63
ARIZONA ESD	BLUE	89430	35-48	REGULAR	-	62
ARIZONA ESD	BLUE	89438	35-48	NARROW	-	62
ARIZONA ESD	BLACK	89420	35-48	REGULAR	-	63
ARIZONA ESD	BLACK	89428	35-48	NARROW	-	63

NAME	COLOR	ARTICLE NUMBER	SIZE	FIT	REPLACEMENT FOOTBED FOR ARTICLE	PAGE
ARIZONA SL	WHITE	230124	35-48	REGULAR	-	53
ARIZONA SL	WHITE	230126	35-48	NARROW	-	53
ARIZONA SL	BLACK	230114	35-48	REGULAR	-	53
ARIZONA SL	BLACK	230116	35-48	NARROW	-	53
ARIZONA SL	WHITE	1018220	35-48	REGULAR	-	53
ARIZONA SL	WHITE	1018221	35-48	NARROW	-	53
ARIZONA SL	BLACK	1018222	35-48	REGULAR	-	53
ARIZONA SL	BLACK	1018223	35-48	NARROW	-	53
BILBAO	WHITE	520781	39-46	REGULAR	-	74
BILBAO	WHITE	520783	36-42	NARROW	-	74
BILBAO	BROWN	520801	39-46	REGULAR	-	74
BILBAO	BROWN	520803	36-42	NARROW	-	74
BILBAO	BLUE	520811	39-46	REGULAR	-	74
BILBAO	BLUE	520813	36-42	NARROW	-	74
BILBAO	BLACK	520791	39-46	REGULAR	-	74
BILBAO	BLACK	520793	36-42	NARROW	-	74
BILBAO ESD	BLACK	520840	39-46	REGULAR	-	67
BILBAO ESD	BLACK	520848	36-42	NARROW	-	67
BIRKI-AIR ANTISTATIC	BLUE	63070	36-46	REGULAR	1001242	49
BIRKI-AIR ANTISTATIC	GREEN	63050	36-46	REGULAR	1001242	49
BOSTON ESD	WHITE	61370	39-48	REGULAR	-	64
BOSTON ESD	WHITE	61378	36-42	NARROW	-	64
BOSTON ESD	BLUE	61380	39-48	REGULAR	-	64
BOSTON ESD	BLUE	61388	36-42	NARROW	-	64
BOSTON ESD	BLACK	61360	39-48	REGULAR	-	64
BOSTON ESD	BLACK	61368	36-42	NARROW	-	64
BOSTON SL	WHITE	60134	35-48	REGULAR	-	58
BOSTON SL	WHITE	60136	35-48	NARROW	-	58
BOSTON SL	BLACK	60194	35-48	REGULAR	-	58
BOSTON SL	BLACK	60196	35-48	NARROW	-	58
CLASSIC BIRKI ANTISTATIC	GREEN	67050	35-46	REGULAR	-	49
CLASSIC BIRKI ANTISTATIC	BLUE	67070	35-46	REGULAR	-	49
REPLACEMENT FOOTBED A630 UND A640	SILVER	1201686	36-47	REGULAR	-	77
REPLACEMENT FOOTBED QS/Q0	BROWN	1013177 1013178	35-40 41-48	REGULAR	-	77
REPLACEMENT FOOTBED BIRKI AIR ANTISTATIC	BLACK	1001242	35-46	REGULAR	-	77
REPLACEMENT FOOTBED PROFİ BIRKI	BLACK	3201047	35-48	REGULAR	-	77

NAME	COLOR	ARTICLE NUMBER	SIZE	FIT	REPLACEMENT FOOTBED FOR ARTICLE	PAGE
REPLACEMENT FOOTBED SUPER BIRKI	BLACK	1201127	35-48	REGULAR	-	77
KANO	BLACK	500781	39-46	REGULAR	-	75
KANO	BLACK	500783	36-42	NARROW	-	75
KANO	WHITE	500761	39-46	REGULAR	-	75
KANO	WHITE	500763	36-42	NARROW	-	75
KANO	BROWN	500801	39-46	REGULAR	-	75
KANO	BROWN	500803	36-42	NARROW	-	75
KANO ESD	BLACK	500580	39-46	REGULAR	-	67
KANO ESD	BLACK	500888	36-42	NARROW	-	67
KAY FLOWERS	FLOWER FLIED MINT	1016660	35-43	NARROW	-	56
KAY FLOWERS	FLOWER FLIED ROSE	1016661	35-43	NARROW	-	56
KAY FLOWERS	BLOOMING ROSES BLACK	1016662	35-43	NARROW	-	56
KAY FLOWERS	BLOOMING ROSES BLUE	1016663	35-43	NARROW	-	56
KAY FLOWERS	PAISLEY BLACK WHITE	1016664	35-43	NARROW	-	57
KAY SL	CAT RED	582516	35-42	NARROW	-	55
KAY SL	DOG BLUE	582536	35-42	NARROW	-	55
KAY SL	WHITE	1018228	39-46	REGULAR	-	54
KAY SL	WHITE	1018229	35-42	NARROW	-	54
KAY SL	BLACK	1018226	39-46	REGULAR	-	54
KAY SL	BLACK	1018227	35-42	NARROW	-	54
KAY SL WB	WHITE	582624	39-46	REGULAR	-	54
KAY SL WB	WHITE	582626	36-42	NARROW	-	54
KAY SL WB	BLACK	582634	39-46	REGULAR	-	54
KAY SL WB	BLACK	582636	36-42	NARROW	-	54
LINZ ESD	WHITE	583150	39-46	REGULAR	-	66
LINZ ESD	WHITE	583158	36-42	NARROW	-	66
LINZ ESD	BLACK	583160	39-46	REGULAR	-	66
LINZ ESD	BLACK	583168	36-42	NARROW	-	66
LINZ SL	WHITE	583174	36-46	REGULAR	-	59
LINZ SL	WHITE	583176	36-42	NARROW	-	59
LINZ SL	BLACK	583184	36-46	REGULAR	-	59
LINZ SL	BLACK	583186	36-42	NARROW	-	59
MILANO ESD	WHITE	634880	35-48	REGULAR	-	63
MILANO ESD	WHITE	634888	35-48	NARROW	-	63
MILANO ESD	BLACK	634790	35-48	REGULAR	-	63
MILANO ESD	BLACK	634798	35-48	NARROW	-	63
PROFI BIRKI	BLACK	74011	35-48	REGULAR	3201047	45
PROFI BIRKI	BROWN	74061	35-48	REGULAR	3201047	45

NAME	COLOR	ARTICLE NUMBER	SIZE	FIT	REPLACEMENT FOOTBED FOR ARTICLE	PAGE
PROFI BIRKI	BLUE	74071	35-48	REGULAR	3201047	45
QS400	WHITE	1011227	35-48	REGULAR	1013177/8	25
QS400	BLACK	1011226	35-48	REGULAR	1013177/8	25
QS400	WHITE	1011229	35-48	REGULAR	1013177/8	25
QS400	BLACK	1011228	35-48	REGULAR	1013177/8	25
QS500	WHITE	1011231	35-48	REGULAR	1013177/8	26
QS500	BLACK	1011230	35-48	REGULAR	1013177/8	26
QS500	BROWN	1011232	35-48	REGULAR	1013177/8	29
QS500	WHITE	1011234	35-48	REGULAR	1013177/8	26
QS500	BLACK	1011233	35-48	REGULAR	1013177/8	26
QS500 ESD	WHITE	1011364	35-48	REGULAR	1013177/8	29
QS500 ESD	BLACK	1011363	35-48	REGULAR	1013177/8	29
QS700	WHITE	1011236	35-48	REGULAR	1013177/8	30
QS700	BLACK	1011235	35-48	REGULAR	1013177/8	30
QS700	BROWN	1011237	35-48	REGULAR	1013177/8	29
QS700	WHITE	1011239	35-48	REGULAR	1013177/8	30
QS700	BLACK	1011238	35-48	REGULAR	1013177/8	30
Q0400	WHITE	1011241	35-48	REGULAR	1013177/8	34
Q0400	BLACK	1011240	35-48	REGULAR	1013177/8	34
Q0400	WHITE	1011243	35-48	REGULAR	1013177/8	34
Q0400	BLACK	1011242	35-48	REGULAR	1013177/8	34
Q0500	WHITE	1011245	35-48	REGULAR	1013177/8	36
Q0500	BLACK	1011244	35-48	REGULAR	1013177/8	36
Q0500	WHITE	1011248	35-48	REGULAR	1013177/8	36
Q0500	BLACK	1011247	35-48	REGULAR	1013177/8	36
Q0500 ESD	WHITE	1011366	35-48	REGULAR	1013177/8	37
Q0500 ESD	BLACK	1011365	35-48	REGULAR	1013177/8	37
Q0700	WHITE	1011250	35-48	REGULAR	1013177/8	39
Q0700	BLACK	1011249	35-48	REGULAR	1013177/8	39
Q0700	WHITE	1011253	35-48	REGULAR	1013177/8	39
Q0700	BLACK	1011252	35-48	REGULAR	1013177/8	39
SARAGOSSA	WHITE	500873	36-42	NARROW	-	73
SARAGOSSA	BLACK	500863	36-42	NARROW	-	73
SOFIA	WHITE	263133	36-42	NARROW	-	72
SOFIA	BROWN	263143	36-42	NARROW	-	72
SOFIA	BLACK	263123	36-42	NARROW	-	72
SOFIA	TANGO RED	263263	36-42	NARROW	-	72
SOFIA	BLACK PATENT	263183	36-42	NARROW	-	73

NAME	COLOR	ARTICLE NUMBER	SIZE	FIT	REPLACEMENT FOOTBED FOR ARTICLE	PAGE
SUPER BIRKI	CIEL LIGHT BLUE	68501	35-43	REGULAR	-	48
SUPER BIRKI	RASPBERRY SORBET	68651	35-43	REGULAR	-	48
SUPER BIRKI	ROT	68031	35-48	REGULAR	-	48
SUPER BIRKI	GELB	68041	35-48	REGULAR	-	48
SUPER BIRKI	APPLE GREEN	68081	35-48	REGULAR	-	47
SUPER BIRKI	GREEN	68051	35-48	REGULAR	-	47
SUPER BIRKI	WHITE	68021	35-48	REGULAR	-	47
SUPER BIRKI	BLUE	68071	35-48	REGULAR	-	47
SUPER BIRKI	BROWN	68061	35-48	REGULAR	-	46
SUPER BIRKI	BLACK	68011	35-48	REGULAR	-	46
TOKIO ESD	WHITE	61410	39-48	REGULAR	-	64
TOKIO ESD	WHITE	61418	36-42	NARROW	-	64
TOKIO ESD	BLUE	61390	39-48	REGULAR	-	66
TOKIO ESD	BLUE	61398	36-42	NARROW	-	66
TOKIO ESD	BLACK	61400	39-48	REGULAR	-	66
TOKIO ESD	BLACK	61408	36-42	NARROW	-	66
TOKIO SL	WHITE	61134	35-48	REGULAR	-	58
TOKIO SL	WHITE	61136	35-48	NARROW	-	58
TOKIO SL	BLUE	61154	35-48	REGULAR	-	58
TOKIO SL	BLUE	61156	35-48	NARROW	-	58
TOKIO SL	BLACK	61194	35-48	REGULAR	-	59
TOKIO SL	BLACK	61196	35-48	NARROW	-	59

--	--	--	--	--	--	--	--

Customer No.

Company

Name

Address

ZIP / City

Date, signature

Consultant

ORDER

[illegible]

COMMENT: _____

BIRKENSTOCK®

PROFESSIONAL



Birkenstock GmbH & Co. KG · Burg Ockenfels · 53545 Linz am Rhein · Germany
T: +49 2683 9359 1144 · F: +49 2683 9359 1268
E: professional@birkenstock.com · birkenstock.com



art.-no. 1018271